


3/ SHOWER ROOM






ISK-10S

Material:Brass Customer size avaliable






ISK-02

Material:Brass Customer size avaliable






ISK-03

Material:Brass Customer size avaliable






ISK-04

Material:Brass Customer size avaliable






ISK-05

Material:Brass Customer size avaliable






ISK-06

Material:Brass Customer size avaliable






ISK-07

Material:Brass Customer size avaliable







ISK-08

Material:Brass Customer size avaliable









ISK-09

Material:Brass Customer size avaliable









ISK-10

Material:Brass Customer size avaliable









ISK-11

Material:Brass Customer size avaliable









ISK-12

Material:Brass Customer size avaliable









ISK-13

Material:Brass Customer size avaliable










ISK-14

Material:Brass Customer size avaliable









ISK-39

Material:Brass Customer size avaliable









ISK-15

Material:stainless steel 304+glass









ISK-16

Material:stainless steel 304+glass










ISK-17

Material:stainless steel 304+glass










ISK-18

Material:stainless steel 304+glass









ISK-19

Material:stainless steel 304+glass








ISK-20

Material:stainless steel 304+glass



- All INF Pulls and Towel Bar Sets are constructed of heavy wall Brass tubing and SUS 316/304 stainless steel tubing.Tubing Diameter: 19mm(3/4”); 25mm(1”)
- Fits glass thickness from 6mm(1/4”) to 12mm(1/2”)
- Available Finishes:

Brass:


CH: Chrome
BN: Brushed Nickel
ORB: Oil Rubbed Bronze
TP: Titanium Plated (PVD coated as Gold color but never change)

SUS316/304:

PSS: Polished Stainless Steel.
SSS: Satin Stainless Steel.
ORB: Oil Rubbed Bronze
TP: Titanium Plated (PVD coated as Gold color but never change)




ISH-01



	L1(C/C)	D m/m
A	152(6")	19(3/4")/25(1")
B	203(8")	19(3/4")/25(1")
C	254(10")	19(3/4")/25(1")
D	305(12")	19(3/4")/25(1")
E	457(18")	19(3/4")/25(1")
F	Customer size are available	



ISH-01S




	L1(C/C)	D m/m
A	152(6")	19(3/4")/25(1")
B	203(8")	19(3/4")/25(1")
C	254(10")	19(3/4")/25(1")
D	305(12")	19(3/4")/25(1")
E	457(18")	19(3/4")/25(1")
F	Customer size are available	



ISH-01SK



ISH-01SS




	L1(C/C)	S m/m
A	305(12")	25 X 25
B	457(18")	25 X 25
C	610(24")	25 X 25
D	400	25 X 25
E	600	25 X 25
F	Customer size are available	




ISH-01SKS




ISH-12




	L1(C/C)	L2(C/C)mm	D m/m
A	152(6")	406(16")	19(3/4")/25(1")
B	203(8")	457(18")	19(3/4")/25(1")
C	254(10")	508(20")	19(3/4")/25(1")
D	305(12")	559(22")	19(3/4")/25(1")
E	203(8")	609(24")	19(3/4")/25(1")
F	Customer size are available		



ISH-12S



	L1(C/C)	L2(C/C)mm	S m/m
A	152(6")	406(16")	25(1") X 25(1")
B	203(8")	457(18")	25(1") X 25(1")
C	254(10")	508(20")	25(1") X 25(1")
D	305(12")	559(22")	25(1") X 25(1")
E	203(8")	609(24")	25(1") X 25(1")
F	Customer size are available		





Shower Connector

- No Hole Drilling Required
- Complete made of the SUS 316/304 Stainless Steel & Brass.
- For glass thickness 6mm (1/4") to 12mm(1/2")
- Bar supplied in 1200mm(48") stock length Dia. 19mm(3/4")
- Available Finishes:

Brass:

CH: Chrome

BN: Brushed Nickel

ORB: Oil Rubbed Bronze

TP: Titanium Plated (PVD coated as Gold color but never change)

SUS316/304:


PSS: Polished Stainless Steel.

SSS: Satin Stainless Steel.

ORB: Oil Rubbed Bronze


TP: Titanium Plated (PVD coated as Gold color but never change)






IR-01






IR-02






IR-03






IR-04






IR-05






IR-06






IR-07






IR-08






IR-09






IR-10






IR-12





IR-13






IR-14








	D	D2	H	W
A	19	25	62	27
B	22	25	66	27
C	25	30	68	35
D	Customer size are available			

IR-15

Material:Brass






	D	D2	H	W
A	19	25	62	27
B	22	25	66	30
C	25	25	68	32
D	Customer size are available			

IR-16

Material:Brass






	D	D2	H	W
A	19	25	62	27
B	22	25	66	30
C	25	25	68	32
D	Customer size are available			

IR-17

Material:Brass






	D	D2	H	W
A	19	25	62	27
B	22	25	66	30
C	25	25	68	32
D	Customer size are available			

IR-18

Material:Brass






	D	D2	H	W
A	19	27	96	48
B	22	30	106	53
C	25	32	106	53
D	Customer size are available			

IR-19

Material:Brass






	D	D2	H
A	19	27	60
B	22	30	60
C	25	32	60
D	Customer size are available		

IR-20

Material:Brass






	D	D2	H
A	19	27	60
B	22	30	60
C	25	32	60
D	Customer size are available		

IR-21

Material:Brass






	D	D2	H
A	19	27	70
B	22	30	70
C	25	32	80
D	Customer size are available		

IR-22

Material:Brass






	D	D2	H
A	19	27	60
B	22	30	60
C	25	32	60
D	Customer size are available		

IR-23

Material:Brass






	D	D2	H
A	19	27	65
B	22	30	65
C	25	32	65
D	Customer size are available		

IR-24

Material:Brass






	D	D2	H
A	13	19	50
B	16	25	50
C	19	25	50
D	Customer size are available		

IR-25

Material:Brass






	D	D2	H	W
A	13	19	62	30
B	16	25	62	30
C	19	25	62	30
D	Customer size are available			

IR-26

Material:Brass





	D	D2	H	W
A	13	19	70	33
B	16	25	70	33
C	19	25	70	33
D	Customer size are available			

IR-27

Material:Brass




	D	D2	H
A	19	27	52
B	22	30	52
C	25	32	65
D	Customer size are available		

IR-28


Material:Brass

WE OFFER THE WHOLE SET SHOWER ROOM SOLUTION





IR-S1




	S1	S2	H	W
A	30	10	54	36

Material:stainless steel 304



IR-S2




	S1	S2	H	W
A	30	10	67	20

Material:stainless steel 304



IR-S3




	S1	S2	H	W
A	30	10	54	36

Material:stainless steel 304



IR-S4




	S1	S2	H	W
A	30	10	36	36

Material:stainless steel 304




IR-S5





	S1	S2	H	W
A	30	10	39	30


Material:stainless steel 304





Install guide















IR-U Channel For Fixed Panel

- Material: Stainless Steel SUS 304 or SUS 316 / Aluminum
- Available Finishes:
  PSS: Polished Stainless Steel / Chrome
  SSS: Satin Stainless Steel / Brushed Nickel
  ORB: Oil Rubber Brushed / Black
  TP: Titanium Plated (PVD coated as Gold color but never change)

Thickness, Length &Size are acceptable by order.



Shower Room





ISH-P-0
Top and bottom 360° shower hinge
QTY: 2pcs/set



ISH-G-0
Top and bottom 360° shower hinge
QTY: 2pcs/set



IRL-C-90
90° top profile connector
QTY:1pcs/set



IRL-C-135
135° top profile connector
QTY:1pcs/set



IRL-C-360
Free angle top profile connector
QTY:1pcs/set



IRL-C-W1
Top profile to wall connector
QTY: 2pcs/set



IRL-C-W2
Top profile to wall connector
QTY: 2pcs/set



IRL-C-SH
Top profile to top shower hinge connector
QTY:1pcs/set



Top profile



IRL-U-1
QTY:1pcs/set



IRL-U-2
QTY:1pcs/set



IRL-C SERIES
Material: Aluminium & Brass
Finished: CP(Chrome)
Standard size: 1500 X 2000mm
Glass thickness: 8-10mm
The Top panel system, could offer the full solution
For the shower room in 90°180°and 135°



IM-D-1

Round handle for shower room

QTY: 1 pc/set



ISK-00

Choose handle/knob item

QTY: 1 pc/set



ISR-C-01

Glass clamp & roller for shower room

QTY: 2 pcs/set



ISR-C-02

Glass clamp for fixed panel glass

QTY: 2 pcs/set 180°

QTY: 4 pcs/set 90°



ISR-C-03

Glass clamp for U channel to fixed panel glass

QTY: 2 pcs/set



ISR-C-04

Glass clamp for U channel to fixed panel glass 90°

QTY: 1 pc/set 90°



ISR-C-06

Floor guide for shower room

QTY: 1 pc/set



ISR-C-07

Stopper for shower room

QTY: 2 pcs/set



ISR-C-08

U channel Wall hanger


QTY: 2 pcs/set




ISR-C-09

U channel for Shower room

QTY: 1 pc/set







ISK-00
Glass door knob
QTY: 1 pc/set





ISR-I-01
Sliding door roller
QTY: 2 pcs/set



ISR-I-02
Plastic floor guide
Left & Right
QTY: 1 pc/set







ISR-I


Italian design with stable and high quality. Fit for EUROPE and America market


- **Material**: Aluminum & Brass
- **Finished:** Chrome anodized
- **Standard Size**:1500 X 1900mm; 1700 X 1900mm;2000 X 2000mm
- **Glass thickness**： 6-8mm


Customer requested size are available


ISR-I-90
Standard Size:800 X 800mm
Glass thickness： 6-8mm
Customer requested size are available


ISR-I-180
Standard Size:1700 X 2000mm
Glass thickness： 6-8mm
Customer requested size are available













ISR-S-01

Roller for sliding door
QTY: 4 pcs / set 90°
QTY: 2 pcs / set 180°



ISR-S-02

Wall to glass fixed panel connector
(With stopper)
QTY: 4 pcs / set 90°
QTY: 2 pcs / set 180°



ISR-S-03

Dia25mm X 5.0 thickness
tube to wall
connector
QTY: 2 pcs / set



ISR-S-04

Dia25mm X 5.0 thickness
tube to fixed panel glass
connector
QTY: 2 pcs / set 90°
QTY: 1 pc / set 180°



ISR-S-05

Dia25mm X 5.0 thickness tube 90°
tube to tube connector
QTY: 1 pc / set



ISR-S-06

Floor guide
QTY: 2 pcs / set 90°
QTY: 1 pc / set 180°



ISR-S-07

Stopper
QTY: 2 pcs / set 90°
QTY: 1 pc / set 180°




IM-D-1

Round handle
QTY: 2 pcs / set 90°
QTY: 1 pc / set 180°




IT-25


Dia25mm X 5.0 thickness tube
QTY: 2 pcs / set 90°
QTY: 1 pc / set 180°



ISR-S-90



ISR-S-180



ISR-S

- **Material**: 316 or 304 stainless steel
- **Standard Size**:1000 X1000X1900mm (90°)
  1500 X 1900mm (180°)
- **Glass thickness** : 8-12mm

Customer requested size are available





ISR-O

- **Material**: 316 or 304 stainless steel
- **Standard Size**:1000mmX1000mmX2000mm (90°)
  1500mm X 2000mm (180°)
- **Glass thickness** : 8-12mm

Customer requested size are available



IM-O-17

Roller fit for dia 25mm tube
QTY: 8 pcs / set 90°
QTY: 4 pcs / set 180°



ISR-S-02

Wall to fix panel glass connector
(With stopper)
QTY: 4 pcs / set 90°
QTY: 2 pcs / set 180°



IM-O-18

Dia25mm tube roller stopper
QTY: 4 pcs / set 90°
QTY: 2 pcs / set 180°



IM-O-7

Tube to fix glass panel
connector
Fit for Dia25mm X 5.0mm
thickness tube
QTY : 4 pcs / set 90°
QTY : 2 pcs / set 180°



ISR-S-05

90°tube to tube connector
Fit for Dia25mm X 5.0mm
thickness tube
QTY: 1 pc / set



IM-O-11S

Tube to wall mounted connetor
Fit for Dia25mm tube
QTY: 2 pcs / set 90° 180°



IM-O-15

Floor guide(Plastic)
QTY: 2 pcs / set 90°
QTY: 1 pc / set 180°



IM-O-13

Floor guide
QTY: 2 pcs / set 90°
QTY: 1 pc / set 180°




IM-D-1

Round handle
QTY : 2 pcs / set 90°
QTY : 1 pc / set 180°




IT-25

Dia25mm X 5.0mm
thickness tube
QTY : 2 pcs / set 90°
QTY : 1 pcs / set 180°



ISR-O-01

Bottom U channel with space cover
QTY: 2 pcs / set 90°
QTY: 1 pc / set 180°



ISR-O-03

Bottom U channel 90°connector
QTY: 1 pc / set



ISR-B-01

Free swing glass hinge
(Wall to glass)90°180°
QTY： 2 pcs / set



ISR-B-02

Free swing glass hinge
(Glass to glass)90°135°180°
QTY： 2 pcs / set



ISR-B-03

Fixed panel wall to
galss connector
QTY：4 pcs / set 90°
QTY：4 pcs / set 135°
QTY：2 pcs / set 180°



ISR-B-04

90°Glass to galss
connector
QTY：2 pcs / set 90°



ISR-B-90



ISR-B-180

ISR-B

- **Material**: 316 or 304 stainless steel
- **Standard Size**:1000 x 2000mm
- **Glass thickness**：8-12mm

Customer requested size are available



ISR-L-01

Free swing glass hinge
(Wall to glass)90°180°
QTY： 2 pcs / set



ISR-L-02

Free swing glass hinge
(Glass to glass)90°135°180°
QTY： 2 pcs / set




ISR-L-03

Fixed panel wall to
galss connector
QTY：4 pcs / set 90°
QTY：4 pcs / set 135°
QTY：2 pcs / set 180°



ISR-L-135





ISR-L-180

ISR-L



- **Material**: 316 or 304 stainless steel
- **Standard Size**:1000 x 2050mm
- **Glass thickness**：8-12mm

Customer requested size are available



PVC SEALS



● **IPS-1**



● **IPS-6**



● **IPS-2**



● **IPS-7**



● **IPS-3**



● **IPS-8**



● **IPS-4**



● **IPS-9**



● **IPS-5**



● **IPS-10**



● **IPS-11**



● **IPS-16**



● **IPS-12**



● **IPS-17**



● **IPS-13**



● **IPS-18**



● **IPS-14**

● **IPS-19**






● **IPS-15**


● **IPS-20**


PVC SEALS







● **IPS-13C**







● **IPS-18C**







● **IPS-21H**







● **IPS-22H**







● **IPS-23**







● **IPS-24**







● **IPS-26**







● **IPS-29M**






● **IPS-40M**







● **IPS-41M**







● **IPS-42M**







● **IPS-43**







● **IPS-43M**







● **IPS-44**





● **IPS-44M**





● **IPS-45**